

July 9, 2003

TO: Internal File

THRU: Daron R. Haddock, Permit Supervisor

FROM: James D. Smith, Senior Reclamation Specialist

RE: 2003 First Quarter Water Monitoring, Energy West Mining Company, Des-Bee-Dove Mine, C/015/017-WQ03-1

- 1. Were data submitted for all of the MRP required sites?** YES ☒ NO ☐  
*Identify sites not monitored and reason why, if known:*

The only required monitoring is at the sedimentation pond discharge point, UPDES 0023591-001. There was no discharge during the first quarter.

- 2. On what date does the MRP require a five-year resampling of baseline water data.**  
*See Technical Directive 004 for baseline resampling requirements. Consider the five-year baseline resubmittal when responding to question one above. Indicate if the MRP does not have such a requirement.*

**Resampling Due Date**

Renewal submittal due 10/21/04, renewal due 02/21/05. Baseline analyses were performed in 1996 and will be repeated every 5 years, i.e., baseline was to be done in 2001, next baseline analyses will be in 2006.

- 3. Were all required parameters reported for each site?** YES ☒ NO ☐  
*Comments, including identity of monitoring site:*

- 4. Were irregularities found in the data?** YES ☐ NO ☒  
*Comments, including identity of monitoring site:*

**5. Were DMR forms submitted for all required sites?**

*Identify sites and months not monitored:*

1<sup>st</sup> month, YES ☒ NO ☐

2<sup>nd</sup> month, YES ☒ NO ☐

3<sup>rd</sup> month, YES ☒ NO ☐

**6. Were all required DMR parameters reported?**

*Comments, including identity of monitoring site:*

YES ☒ NO ☐

No discharge during the first quarter.

**7. Were irregularities found in the DMR data?**

*Comments, including identity of monitoring site:*

YES ☐ NO ☒

No discharge during the first quarter.

**8. Based on your review, what further actions, if any, do you recommend?**

None - no discharge during the first quarter.